


PRODUCT LISTING

September 2006



Seagate understands the need to keep driving forward.

Seagate Technology®, the global leader in hard drives, delivers innovative and reliable storage solutions for every market segment—from consumer electronics to enterprise. Seagate has the vision and drive to lead the industry with more first-to-market product and technology innovations than any other hard drive manufacturer.

The On-Demand World— we can help you find the drive to compete.

You want to build and sell systems and solutions that offer the best combination of performance and value for your customers' particular needs. For that purpose, a wide variety of choices is paramount, and that's what Seagate offers.

Chances are you'll find just the right drive for your applications somewhere in this list, because there are superb drives here for every segment of the marketplace. And don't forget, each Seagate internal drive purchased from an authorized Seagate distributor or reseller is backed by a 5-year warranty.

Also keep in mind that you get more than just drives when you buy Seagate. You get a long and consistent record of innovation, reliability and customer support. Join the Seagate Partner Program and you gain a valuable business ally as well.

Here are our current product offerings. We're proud to sell them. We hope you will be too.

Enterprise Compute

PRODUCT NAME	MODEL	INTERFACE OPTIONS	CAPACITY ¹ (GB, F)	FORM FACTOR/ HEIGHT (in)	SPINDLE SPEED (RPM)	AVERAGE READ/SEEK (msec)	MAX INT XFER RATE (Mb/s)	MAX EXT XFER RATE (MB/s)	INTERFACE	WARRANTY (years)	CACHE OPTIONS (MB)
Barracuda ES	ST3750640	NS	750	3.5/1.02	7200	8.5	1030	300	SATA 3Gb/s	5	16
	ST3500630	NS	500	3.5/1.02	7200	8.5	1030	300	SATA 3Gb/s	5	16
	ST3400620	NS	400	3.5/1.02	7200	8.5	1030	300	SATA 3Gb/s	5	16
	ST3250820	NS	250	3.5/1.02	7200	8.5	1030	300	SATA 3Gb/s	5	8
	ST3250620	NS	250	3.5/1.02	7200	8.5	1030	300	SATA 3Gb/s	5	16
Cheetah 15K.5	ST3300655	LC/LW/FC/SS	300	3.5/1.0	15K	3.5/3.5/3.6	960 to 1607	320/400/300	Ultra320 SCSI, 4-Gb/s FC, SAS	5	16
	ST3146855	LC/LW/FC/SS	146.8	3.5/1.0	15K	3.5/3.5/3.6	960 to 1607	320/400/300	Ultra320 SCSI, 4-Gb/s FC, SAS	5	16
	ST373455	LC/LW/FC/SS	73.4	3.5/1.0	15K	3.5/3.5/3.6	960 to 1607	320/400/300	Ultra320 SCSI, 4-Gb/s FC, SAS	5	16
Cheetah 15K.4	ST3146854	LC/LW/FC/SS	146.8	3.5/1.0	15K	3.5	685 to 1142	320/200/300	Ultra320 SCSI, 2-Gb/s FC, SAS	5	8
	ST3146954	FC 4Gb/s	146.8	3.5/1.0	15K	3.5	685 to 1142	400	4-Gb/s FC	5	8
	ST373454	LC/LW/FC/SS	73.4	3.5/1.0	15K	3.5	685 to 1142	320/200/300	Ultra320 SCSI, 2-Gb/s FC, SAS	5	8
	ST373554	FC 4Gb/s	73.4	3.5/1.0	15K	3.5	685 to 1142	400	4-Gb/s FC	5	8
	ST336754	LC/LW/FC/SS	36.7	3.5/1.0	15K	3.5	685 to 1142	320/200/300	Ultra320 SCSI, 2-Gb/s FC, SAS	5	8
	ST336854	FC 4Gb/s	36.7	3.5/1.0	15K	3.5	685 to 1142	400	4-Gb/s FC	5	8
Cheetah 10K.7	ST3300007	LC/LW/FC	300	3.5/1.0	10K	4.7	470 to 944	320/200	Ultra320 SCSI, 2-Gb/s FC	5	8
	ST3146707	LC/LW/FC	146.8	3.5/1.0	10K	4.7	470 to 944	320/200	Ultra320 SCSI, 2-Gb/s FC	5	8
	ST373207	LC/LW/FC	73.4	3.5/1.0	10K	4.7	470 to 944	320/200	Ultra320 SCSI, 2-Gb/s FC	5	8
Savvio 10K.2	ST9146802	SS	146.8	2.5/0.583	10K	3.8	660 to 1054	300	SAS	5	16
	ST973402	SS	73.4	2.5/0.583	10K	3.8	660 to 1054	300	SAS	5	16
Savvio 10K	ST973401	LC/SS	73.4	2.5/0.591	10K	4.1	497 to 752	320/300	Ultra320 SCSI, SAS	5	8
	ST936701	LC/SS	36.7	2.5/0.591	10K	4.1	497 to 752	320/300	Ultra320 SCSI, SAS	5	8

¹ One gigabyte, or GB, equals one billion bytes when referring to hard drive capacity.

Business-Critical Applications

Workstation	Barracuda ES, 7200.10
Entry Low-Cost Server	Barracuda ES, 7200.10
SMB Server	Barracuda ES
Virtual Tape Library	Barracuda ES
Direct Attached (JBOD/RAID)	Barracuda ES
NAS	Barracuda ES
SAN	Barracuda ES
Video Surveillance (SDVRs)	SV35 Series
Network Video Surveillance (NDVR)	Barracuda ES, SV35 Series

Mission-Critical Applications

Blade Server	Savvio 10K.2, 10K
1U Server	Savvio 10K.2, 10K
Entry-Level Server	Savvio 10K.2, 10K, Cheetah 10K.7
Midrange Server	Savvio 10K.2, 10K
High-End Server	Cheetah 15K.5, 15K.4
JBOD/RAID	Cheetah 15K.5, 15K.4, 10K.7
NAS	Cheetah 15K.5, 15K.4, 10K.7
SAN	Cheetah 15K.5, 15K.4, 10K.7

Personal Compute

PRODUCT NAME	MODEL	INTERFACE OPTIONS	CAPACITY ¹ (GB, F)	FORM FACTOR/ HEIGHT (in)	PERFORMANCE LEVEL (RPM)	MAX EXT XFER RATE (MB/s)	INTERFACE	WARRANTY (years)	CACHE OPTIONS (MB)
Barracuda 7200.10	ST3750640	AS/A	750	3.5/1.028	7200	300/100	Serial ATA 3Gb/s, Ultra ATA	5	16
	ST3500630	AS/A	500	3.5/1.028	7200	300/100	Serial ATA 3Gb/s, Ultra ATA	5	16
	ST3400620	AS/A	400	3.5/1.028	7200	300/100	Serial ATA 3Gb/s, Ultra ATA	5	16
	ST3320620	AS/A	320	3.5/1.028	7200	300/100	Serial ATA 3Gb/s, Ultra ATA	5	16
	ST3250620	AS/A	250	3.5/1.028	7200	300/100	Serial ATA 3Gb/s, Ultra ATA	5	16
	ST3250820	AS/A	250	3.5/1.028	7200	300/100	Serial ATA 3Gb/s, Ultra ATA	5	8
	ST3200820	AS/A	200	3.5/1.028	7200	300/100	Serial ATA 3Gb/s, Ultra ATA	5	8
Barracuda 7200.9	ST3160811	AS	160	3.5/0.787	7200	300	Serial ATA 3Gb/s	5	8
	ST3160211	AS	160	3.5/0.787	7200	300	Serial ATA 3Gb/s	5	2
	ST3160812	A	160	3.5/1.028	7200	100	Ultra ATA	5	8
	ST3160212	A	160	3.5/1.028	7200	100	Ultra ATA	5	2
	ST3120811	AS	120	3.5/0.787	7200	300	Serial ATA 3Gb/s	5	8
	ST3120211	AS	120	3.5/0.787	7200	300	Serial ATA 3Gb/s	5	2
	ST3120814	A	120	3.5/1.028	7200	100	Ultra ATA	5	8
	ST3120213	A	120	3.5/1.028	7200	100	Ultra ATA	5	2
	ST380811	AS	80	3.5/0.787	7200	300	Serial ATA 3Gb/s	5	8
	ST380211	AS	80	3.5/0.787	7200	300	Serial ATA 3Gb/s	5	2
	ST3802110	A	80	3.5/1.028	7200	100	Ultra ATA	5	2
	ST340211	AS	40	3.5/0.787	7200	300	Serial ATA 3Gb/s	5	2
	ST3402111	A	40	3.5/1.028	7200	100	Ultra ATA	5	2

¹ One gigabyte, or GB, equals one billion bytes when referring to hard drive capacity.

Notebook

PRODUCT NAME	MODEL	INTERFACE OPTIONS	CAPACITY ¹ (GB, F)	FORM FACTOR (mm)/HT (in)	PERFORMANCE LEVEL (RPM)	SUSTAINED INT XFER RATE (MB/s)	MAX EXT XFER RATE (MB/s)	INTERFACE	WARRANTY (years)	CACHE OPTIONS (MB)
Momentus 7200	ST910021	AS/A	100	9.5/0.374	7200	45.8	150/100	Serial ATA, Ultra ATA	5	8
	ST980825	AS/A	80	9.5/0.374	7200	45.8	150/100	Serial ATA, Ultra ATA	5	8
	ST96023	A	60	9.5/0.374	7200	45.8	100	Ultra ATA	5	8
Momentus 5400.3	ST9160821	AS/A	160	9.5/0.374	5400	44	150/100	Serial ATA, Ultra ATA	5	8
	ST9120822	AS/A	120	9.5/0.374	5400	44	150/100	Serial ATA, Ultra ATA	5	8
	ST9100828	AS/A	100	9.5/0.374	5400	44	150/100	Serial ATA, Ultra ATA	5	8
	ST980815	AS/A	80	9.5/0.374	5400	44	150/100	Serial ATA, Ultra ATA	5	8
	ST940815	A	40	9.5/0.374	5400	44	100	Ultra ATA	5	8
Momentus 5400.2	ST96812	A	60	9.5/0.374	5400	42	100	Ultra ATA	5	8

¹ One gigabyte, or GB, equals one billion bytes when referring to hard drive capacity.

Desktop Applications

Thin Client	Barracuda 7200.10, 7200.9
High Value	Barracuda 7200.9
Entry Low-Cost/Home Server	Barracuda 7200.10
Mainstream	Barracuda 7200.10, 7200.9
Performance/Gaming	Barracuda 7200.10
Workstation	Barracuda ES, 7200.10

Notebook Applications

Ultra Portable	Momentus 5400.3
High Value	Momentus 5400.3, 5400.2
Mainstream	Momentus 7200, 5400.3
Performance	Momentus 7200

Consumer Electronics

PRODUCT NAME	MODEL	INTERFACE OPTIONS	CAPACITY ¹ (GB, F)	FORM FACTOR/ HEIGHT (in)	PERFORMANCE LEVEL (RPM)	INTERNAL XFER RATE (Mb/s)	MAX EXT XFER RATE (MB/s)	INTERFACE	WARRANTY (years)	CACHE OPTIONS (MB)
DB35 Series 7200.3	ST3750640	SCE	750	3.5/1.028	7200	1030	300	Serial ATA NCQ	5	16
	ST3750840	SCE/ACE	750	3.5/1.028	7200	1030	300/100	Serial ATA NCQ, Ultra ATA	5	8
	ST3500830	SCE/ACE	500	3.5/1.028	7200	1030	300/100	Serial ATA NCQ, Ultra ATA	5	8
	ST3400820	SCE/ACE	400	3.5/1.028	7200	1030	300/100	Serial ATA NCQ, Ultra ATA	5	8
	ST3320820	SCE/ACE	320	3.5/1.028	7200	1030	300/100	Serial ATA NCQ, Ultra ATA	5	8
	ST3250820	SCE/ACE	250	3.5/1.028	7200	1030	300/100	Serial ATA NCQ, Ultra ATA	5	8
DB35 Series 7200.2	ST3200827	SCE/ACE	200	3.5/1.028	7200	867.2	300/100	Serial ATA NCQ, Ultra ATA	5	8
	ST3160212	SCE/ACE	160	3.5/1.028	7200	867.2	300/100	Serial ATA NCQ, Ultra ATA	5	2
	ST3120213	SCE/ACE	120	3.5/1.028	7200	867.2	300/100	Serial ATA NCQ, Ultra ATA	5	2
	ST3802110	SCE/ACE	80	3.5/1.028	7200	867.2	300/100	Serial ATA NCQ, Ultra ATA	5	2
SV35 Series	ST3500641	SV/AV	500	3.5/1.028	7200	815.2	300/100	Serial ATA, Ultra ATA	5	16
	ST3250824	SV/AV	250	3.5/1.028	7200	867.2	300/100	Serial ATA, Ultra ATA	5	8
	ST3160812	SV/AV	160	3.5/1.028	7200	867.2	300/100	Serial ATA, Ultra ATA	5	8
LD25 Series	ST9402115	AS/A	40	2.5/0.374	5400	460.8	150/100	Serial ATA, Ultra ATA	5	2
	ST920217	AS/A	20	2.5/0.374	5400	460.8	150/100	Serial ATA, Ultra ATA	5	2
EE25 Series	ST940813	AM	40	2.5/0.374	5400	321.1	100	Ultra ATA	5	8
	ST940814	AM	40	2.5/0.374	5400	321.1	100	Ultra ATA	5	8
	ST930813	AM	30	2.5/0.374	5400	321.1	100	Ultra ATA	5	8
	ST930814	AM	30	2.5/0.374	5400	321.1	100	Ultra ATA	5	8
	ST920813	AM	20	2.5/0.374	5400	321.1	100	Ultra ATA	5	8
	ST920814	AM	20	2.5/0.374	5400	321.1	100	Ultra ATA	5	8
ST1 Series	ST612712	DE/DEG	12	1.0/.2001	3600	130	66.7	IDE 35-Way ZIF	1	2
	ST610712	DE/DEG	10	1.0/.2001	3600	130	66.7	IDE 35-Way ZIF	1	2
	ST64022	CF/FX	4	1.0/.197	3600	130	33.3	CompactFlash/PATA Flex	1	2

¹ One gigabyte, or GB, equals one billion bytes when referring to hard drive capacity.

Consumer Electronics Applications

Set-Top Box, DVR	DB35 Series, LD25 Series
IPTV	DB35 Series, LD25 Series
Game Console	LD25 Series
Audio Jukebox	DB35 Series, LD25 Series
Home Media Server	DB35 Series
Video Surveillance (SDVR)	SV35 Series
Network Video Surveillance (NDVR)	SV35 Series
Handheld Device	ST1 Series
Extreme Environment	EE25 Series
Automotive	EE25 Series

Branded Solutions

PRODUCT NAME	MODEL	INTERFACE OPTIONS	CAPACITY' (GB, F)	FORM FACTOR/ HEIGHT (in)	PERFORMANCE LEVEL (RPM)	MAX EXT XFER RATE (MB/s)	INTERFACE	WARRANTY (years)	CACHE (MB)
3.5-Inch Ultra ATA Internal	ST3750640	A-RK	750	3.5/1.028	7200	100	Ultra ATA	5	16
	ST3500641	A-RK	500	3.5/1.028	7200	100	Ultra ATA	5	16
	ST3500841	A-RK	500	3.5/1.028	7200	100	Ultra ATA	5	8
	ST3400632	A-RK	400	3.5/1.028	7200	100	Ultra ATA	5	16
	ST3400832	A-RK	400	3.5/1.028	7200	100	Ultra ATA	5	8
	ST3300631	A-RK	300	3.5/1.028	7200	100	Ultra ATA	5	16
	ST3300831	A-RK	300	3.5/1.028	7200	100	Ultra ATA	5	8
	ST3250623	A-RK	250	3.5/1.028	7200	100	Ultra ATA	5	16
	ST3250823	A-RK	250	3.5/1.028	7200	100	Ultra ATA	5	8
	ST3200822	A-RK	200	3.5/1.028	7200	100	Ultra ATA	5	8
	ST3160023	A-RK	160	3.5/1.028	7200	100	Ultra ATA	5	8
	ST3120026	A-RK	120	3.5/1.028	7200	100	Ultra ATA	5	8
	ST310011	A-RK	100	3.5/1.028	7200	100	Ultra ATA	5	2
	ST380013	A-RK	80	3.5/1.028	7200	100	Ultra ATA	5	8
ST380011	A-RK	80	3.5/1.028	7200	100	Ultra ATA	5	12	
3.5-Inch Serial ATA Internal	ST3750640	AS-RK	750	3.5/1.028	7200	300	Serial ATA	5	16
	ST3500641	AS-RK	500	3.5/1.028	7200	300	Serial ATA	5	16
	ST3400633	AS-RK	400	3.5/1.028	7200	300	Serial ATA	5	16
	ST3300622	AS-RK	300	3.5/1.028	7200	300	Serial ATA	5	16
	ST3300631	AS-RK	300	3.5/1.028	7200	300	Serial ATA	5	16
	ST3300831	AS-RK	300	3.5/1.028	7200	300	Serial ATA	5	8
	ST3160812	AS-RK	160	3.5/1.028	7200	300	Serial ATA	5	8
3.5-Inch Pushbutton Backup External	ST3650640	U2-RK	650	3.5/1.028	7200	60	USB 2.0	1	16
	ST3500642	U2-RK	500	3.5/1.028	7200	60	USB 2.0	1	16
	ST3400801	U2-RK	400	3.5/1.028	7200	60	USB 2.0	1	16
	ST3400801	U2-RK	400	3.5/1.028	7200	60	USB 2.0	1	8
	ST3300601	U2-RK	300	3.5/1.028	7200	60	USB 2.0	1	16
	ST3300801	U2-RK	300	3.5/1.028	7200	60	USB 2.0	1	8
	ST3250601	U2-RK	250	3.5/1.028	7200	60	USB 2.0	1	16
	ST3250801	A-RK	250	3.5/1.028	7200	60	USB 2.0	1	8
	ST3160026	A-RK	160	3.5/1.028	7200	60	USB 2.0	1	8
	ST3750640	CB-RK	750	3.5/1.028	7200	60/50	USB 2.0 & FireWire	1	16
	ST3500641	CB-RK	500	3.5/1.028	7200	60/50	USB 2.0 & FireWire	1	16
	ST3500841	CB-RK	500	3.5/1.028	7200	60/50	USB 2.0 & FireWire	1	8
	ST3400601	CB-RK	400	3.5/1.028	7200	60/50	USB 2.0 & FireWire	1	16
	ST3300601	CB-RK	300	3.5/1.028	7200	60/50	USB 2.0 & FireWire	1	16
	ST3200823	A-RK	200	3.5/1.028	7200	60/50	USB 2.0 & FireWire	1	8
3.5-Inch External SATA	ST3500601	XS-RK	500	3.5/1.028	7200	300	Serial ATA	1	16
	ST3300601	XS-RK	300	3.5/1.028	7200	300	Serial ATA	1	16
3.5-Inch External	ST3320820	U2-RK	320	3.5/1.028	7200	60	USB 2.0	1	8
	ST3250824	U2-RK	250	3.5/1.028	7200	60	USB 2.0	1	8
	ST3160812	U2-RK	160	3.5/1.028	7200	60	USB 2.0	1	8
	ST3160203	U2-RK	160	3.5/1.028	7200	60	USB 2.0	1	2
	ST3120203	U2-RK	120	3.5/1.028	7200	60	USB 2.0	1	2

Branded Solutions (continued)

PRODUCT NAME	MODEL	INTERFACE OPTIONS	CAPACITY ¹ (GB, F)	FORM FACTOR/ HEIGHT (in)	PERFORMANCE LEVEL (RPM)	MAX EXT XFER RATE (MB/s)	INTERFACE	WARRANTY (years)	CACHE (MB)
2.5-Inch Notebook Internal	ST9160821	A-RK	160	2.5/0.374	5400	100	Ultra ATA	5	8
	ST9120821	AS-RK	120	2.5/0.374	5400	300	Serial ATA	5	8
	ST9120821	A-RK	120	2.5/0.374	5400	100	Ultra ATA	5	8
	ST910021	A-RK	100	2.5/0.374	7200	100	Ultra ATA	5	8
	ST9100823	A-RK	100	2.5/0.374	5400	100	Ultra ATA	5	8
	ST980815	A-RK	80	2.5/0.374	5400	100	Ultra ATA	5	8
	ST96023	A-RK	60	2.5/0.374	7200	100	Ultra ATA	5	8
	ST96821	AS-RK	60	2.5/0.374	5400	300	Serial ATA	5	8
	ST960812	A-RK	60	2.5/0.374	5400	100	Ultra ATA	5	8
	ST94812	A-RK	40	2.5/0.374	5400	100	Ultra ATA	5	8
CompactFlash	ST68022	C-RK	8	1.0/0.197	3600	33	CompactFlash	1	2
	ST64022	C-RK	4	1.0/0.197	3600	33	CompactFlash	1	2
Portable Drive	ST9160821	U2-RK	160	2.5/0.374	5400	60	USB 2.0	5	8
	ST9120826	U2-RK	120	2.5/0.374	5400	60	USB 2.0	1	8
	ST9120801	U2-RK	120	2.5/0.374	5400	60	USB 2.0	1	8
	ST910021	U2-RK	100	2.5/0.374	7200	60	USB 2.0	1	8
	ST9100801	U2-RK	100	2.5/0.374	5400	60	USB 2.0	1	8
	ST980801	U2-RK	80	2.5/0.374	5400	60	USB 2.0	1	8
	ST960801	U2-RK	60	2.5/0.374	5400	60	USB 2.0	1	8
	ST940801	U2-RK	40	2.5/0.374	5400	60	USB 2.0	1	2
Pocket Drive	ST68022	U-RK	8	1.0/0.197	3600	60	USB 2.0	1	2
	ST660211	U-RK	6	1.0/0.197	3600	60	USB 2.0	1	2
Mirra Sync and Share Personal Server	ST3500841	ET-RK	500	Dimensions (in): 8.71Hx4.61Wx8.79D; Power: 115-230VAC, 50/60Hz, 60W; 1-Year Limited Warranty					
	ST3320833	ET-RK	320	Dimensions (in): 8.71Hx4.61Wx8.79D; Power: 115-230VAC, 50/60Hz, 60W; 1-Year Limited Warranty					

¹ One gigabyte, or GB, equals one billion bytes when referring to hard drive capacity.

Branded Solutions Applications

Desktop Computer	3.5-Inch Ultra ATA Internal, SATA Internal
Notebook Computer	2.5-Inch Notebook Internal
External Backup/Storage	Pushbutton Backup External, External, External SATA, Portable Drive
Portable Storage	DB35 Series, LD25 Series
Digital Camera	CompactFlash
Handheld Device	CompactFlash
Personal/Home-Office Network	Mirra Sync and Share Personal Server
SMB Network	Mirra Sync and Share Personal Server

Interface Definitions

A = Ultra ATA	FC = 4-Gb/s Fibre Channel, 2-Gb/s Fibre Channel
ACE = Ultra ATA	FX = PATA Flex
AM = Ultra ATA	LC = Ultra320 SCSI (16-bit Single Connector Low Voltage Differential)
A-RK = Ultra ATA, USB 2.0 & FireWire (combo), USB 2.0	LW = Ultra320 SCSI (16-bit Low Voltage Differential)
AS = Serial ATA 3Gb/s, Serial ATA 1.5Gb/s	NS = Nearline-Ready Serial ATA
AS-RK = Serial ATA	SCE = Serial ATA NCQ
AV = Ultra ATA	SS = Serial Attached SCSI (SAS)
CB-RK = USB 2.0 & FireWire (combo)	SV = Serial ATA
CF = CompactFlash	U2-RK = USB 2.0
C-RK = CompactFlash	U-RK = USB 2.0
DE = IDE 35-Way ZIF	XS-RK = Serial ATA
DEG = IDE 35-Way ZIF	
ET-RK = Ethernet Connector	

Seagate Technology Support Services

Online Services

Internet

www.seagate.com for information about Seagate products and services.
Worldwide support is available 24 hours daily by email for your questions.

Presales Support

www.seagate.com/support/email/email_presales.html or
Presales@Seagate.com

Technical Support

www.seagate.com/support/email/email_disc_support.html or DiscSupport@
Seagate.com

my.seagate.com

The industry's first Web portal designed specifically for OEMs and distributors. It provides self-service access to critical applications, personalized content and the tools that allow our partners to manage their Seagate account functions. Submit pricing requests, orders and returns through a single, password-protected Web interface—anytime, anywhere in the world.

spp.seagate.com

Supports Seagate resellers with product information, program benefits and sales tools. You may register for customized communications that are not available on the web. These communications contain product launch, EOL, pricing, promotions and other channel-related information. To learn more about the benefits or to register, go to spp.seagate.com, any time, from anywhere in the world.

Data Recovery Services

Seagate offers data recovery services for all brands and all formats of storage media. Call 1-800-475-0143 (U.S. and Canada) or 00-800-4732-4283 (Europe). Additional information is available at www.datarecovery.seagate.com.

Seagate Support Service Centers

Our Presales Support staff can help you determine which Seagate products are best suited for your specific application or computer system, as well as drive availability and compatibility.

USA/Canada/Latin America Support Services

For presales and technical support in the USA/Canada/Latin America, dial our presales and technical support call center. Presales hours are from from 8 a.m. to 7 p.m., Monday through Friday (Central time). Technical support hours are from 8 a.m. to 8 p.m., Monday through Friday (Central time).

Call center	Toll-free	Direct dial	Fax
Presales	1-877-271-3285	+1-405-324-4730	+1-405-324-4704
Technical Support	1-800-SEAGATE	+1-405-324-4700	+1-405-324-3339

European Support Services

For presales and technical support in Europe, dial the Seagate Service Center toll-free number for your specific location. If your location is not listed here, dial our presales and technical support call center at +1-405-324-4714 from 8 a.m. to 11:45 a.m. and 1 p.m. to 5 p.m. (Central Europe time) Monday through Friday. The presales and technical support call center is located in Oklahoma City, USA. Fax service for Europe is available at +1-405-324-3339.

Call center	Toll-free
Belgium	00 800-47324283 (00 800-4SEAGATE)
Denmark	00 800-47324283
France	00 800-47324283
Germany	00 800-47324283
Ireland	00 800-47324283
Italy	00 800-47324283
Netherlands	00 800-47324283
Norway	00 800-47324283
Poland	00 800-311 12 38
Spain	00 800-47324283
Sweden	00 800-47324283
Switzerland	00 800-47324283
Turkey	00 800-31 92 91 40
United Kingdom	00 800-4732428

Africa/Middle East Support Services

For presales and technical support in Africa and the Middle East, dial our presales and technical support call center at +1-405-324-4714 from 8 a.m. to 11:45 a.m. and 1 p.m. to 5 p.m. (Central Europe time) Monday through Friday. The presales and technical support call center is located in Oklahoma City, USA.

Asia/Pacific Presales Services

For Asia/Pacific presales and technical support, dial the toll-free number for your specific location. The Asia/Pacific toll-free numbers are available from 6 a.m. to 10:45 a.m. and 12 p.m. to 6 p.m. (Australian Eastern time) Monday through Friday, except as noted below. If your location is not listed here, direct dial one of our technical support locations.

Call center	Toll-free	Alternate
Australia	1800-14-7201	—
China (Mandarin) ^{1,4}	800-810-9668	+86-10-6225-5336 (direct)
Hong Kong	800-90-0474	—
Hong Kong (Cantonese) ^{1,4}	001-800-0830-1730	—
India ^{2,4}	1-800-180-1104	—
Indonesia	001-803-1-003-2165	—
Japan ^{3,4}	0034-800-400-554	—
Korea ^{3,4}	007 98 8521 7635	—
Malaysia	1-800-80-2335	—
New Zealand	0800-443988	—
Singapore	800-1101-150	+65-6488-7525 (fax)
Taiwan (Mandarin) ^{1,4}	00-800-0830-1730	—
Thailand	001-800-11-0032165	—

1 Hours of operation are 8:30 a.m. to 5:30 p.m., Monday through Friday (Australian Western time).

2 Hours of operation are 9 a.m. to 6 p.m., Monday through Saturday.

3 Hours of operation are 9:30 a.m. to 6:30 p.m., Monday through Friday.

4 Authorized Support Center

Partner with Seagate.



If you're a system builder, reseller or distributor looking for a competitive edge, the smartest thing you can do is to join the Seagate Partner Program.

You'll receive:

- Dedicated pre- and post-sales support
- Early evaluations of new products at deep discounts
- Training resources and sales tools
- Quarterly seminars
- An informative bi-weekly newsletter
- Much more!



To join, visit spp.seagate.com, select your language and location, and click "Go" to reach the welcome/sign-up page.

You'll be glad you did—and so will we.

Seagate Technology LLC 920 Disc Drive, Scotts Valley, CA 95066

Copyright © 2006 Seagate Technology LLC. All rights reserved. Printed in the USA.
Publication Number: 1105-041, September 2006

Seagate, Seagate Technology and the Wave logo are registered trademarks of Seagate Technology LLC. Barracuda, Cheetah, DB35 Series, DiscWizard, EE25 Series, LD25 Series, Mirra, Momentus, Savvio, SeaFONE, SeaTDD, ST1 Series and SV35 Series are registered trademarks or trademarks of Seagate Technology LLC. Other product names are registered trademarks or trademarks of their owners. One gigabyte, or GB, equals one billion bytes when referring to hard drive capacity. Accessible capacity may vary depending on operating environment and formatting. Quantitative usage examples for various applications are for illustrative purposes. Actual quantities will vary based on various factors, including file size, file format, features and application software. Seagate reserves the right to change, without notice, product offerings or specifications.